

156844

Wednesday, February 08, 2017 9:11:00 AM

N900040100

Setup Start *NS1*

Stop *NS2*

~

Cust Item ID:

~

Customer:

Reference:

DAS
21
9-89

FEB 09 2017

Date:

Tooling:

Date:

Run Start *NR1*

QC:

Date:**SPC (Y/N):**

Date:

Stop *NR2*

**Insp.
Stamp**

Revision Nbr

D3295

E

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.03

FLOW CNC Waterjet

*****ENSURE PLASTIC BLOCK ARE ON TABLE BEFORE CUTTING PARTS*****

1-Cut D3295-1 as per Dwg D3295

Dwg Rev: EE

Prog Rev: E

2-Remove plastic, clean and wrap in saran wrap.

3-Deburr if necessary

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

Work Order ID 156844

Wednesday, February 08, 2017 9:11:00 AM

156844

Page 2

Item ID: D3295-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Replacement Interior Window for -111
Start Date: 2/2/2017 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 2/8/2017 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.01				2			DAS 38 9-88 FEB 23 2017
130 *130* Small Fab Small Fab	Small Fab Memo Assemble as per Dwg D3295. Put window in plastic wrap.	0.00 0.06				2x			17/02/14 DAS 36 9-8
140 *140* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.01				2			DAS 38 9-88 FEB 24 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 156844***156844***

Page 3

Wednesday, February 08, 2017 9:11:00 AM

Item ID: D3295-041	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:				Stop	*NS2*
Item Name: Replacement Interior Window for -111					
Start Date: 2/2/2017	Start Qty: 2.00	*2*	Cust Item ID:		
Required Date: 2/8/2017	Req'd Qty: 2.00	*2*	Customer:		
Reference:					

Approvals:	Process Plan: _____	Date: _____	Tooling: _____	Date: _____	Run	Start	*NR1*
	QC: _____	Date: _____	SPC (Y/N): _____	Date: _____		Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Identify as per dwg & Stock Location: <u>SF-136</u>	0.00							
150									
Packaging	Memo	0.00							
Packaging									
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.03							
Quality Control									

17/2/28

DAS 21 9-89 FEB 2 8 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

Picklist Print

Wednesday, February 08, 2017 9:10:59 AM

Page 1

Work Order ID: 156844

156844

Parent Item: D3295-041

D3295-041

Parent Item Name: Replacement Interior Window for -111

Start Date: 2/2/2017

Required Date: 2/8/2017

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP C05.06.20D3295-1 no longer made in-houseKJ/JLM
IPP Rev:D Added DT8822 07-03-20 JLM
IPP Rev:E Returned Manufacturing In House 07-06-26 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2728-1		Manufactured	Yes			140	Each	0.0000	1	2			
D2728-1									**				
Dart Logo Label Small													
MLEXS.125-9034-01		Purchased	No			100	sf	63.5200	1.24	2.610526			
MI FXS 125-9034-01									**				
1/8" 9034 Lexan Sheet (Clear)													
				<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>							
				MAT019	37.42								
				m135241	37.42								
				therm	26.1								
				m135485	26.1								

17/02/24 DAS 36 9-89

DAS 46 9-89 17/02/23

2.62

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

DART AEROSPACE LTD		Work Order: 156844
Description: Window		Part Number: D3295
Inspection Dwg: D3295	Rev: E	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.156	+0.005/-0.001	0.158	✓		DC Ø1	
17.13	+/-0.030	17.13	✓		Tape	
10.43	+/-0.030	10.43	✓			
14.35	+/-0.030	14.35	✓			
8.98	+/-0.030	8.985	✓			
0.625	+/-0.010	0.627	✓			
7.109	+/-0.010	7.109	✓			
15.845	+/-0.010	15.845	✓			
2.308	+/-0.010	2.308	✓			
5.420	+/-0.010	5.420	✓			
9.402	+/-0.010	9.402	✓			
1.312	+/-0.010	1.318	✓			
6.260	+/-0.010	6.268	✓			
12.520	+/-0.010	12.52	✓			
0.313	+/-0.010	0.320	✓			
3.750	+/-0.010	3.750	✓			
8.150	+/-0.010	8.150	✓			
9.006	+/-0.010	9.006	✓			
0.125	+/-0.010	0.120	✓			

DAS
46
9-89

Measured by:	DAS 46 9-89	Audited by:	DAS 38 9-89	Preliminary Approval:	
Date:	17/02/23	Date:	FFR 22 2017	Date:	

Rev	Date	Change	Revised by	Approved
A	07.11.23	New Issue P/O D3295-041	KJ/EC/DD	
B	13.02.27	Dwg Rev updated	KJ	

ITEM	QTY -041	QTY -041B	P/N	DESCRIPTION
	X		D3295-041	FLOOR WINDOW
		X	D3295-041B	FLOOR WINDOW, BLANK
1	1		D3295-1	WINDOW
2		1	D3295-1B	WINDOW, BLANK
3	1	1	D2728-1	DECAL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 156844 ML5
17-02-09

RELEASED
2012-11-21


D3295-041 FLOOR WINDOW


D3295-041B FLOOR WINDOW, BLANK

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) N/A
- 6) ENSURE SURFACE IS FREE OF DIRT/GREASE PRIOR TO APPLICATION OF SELF-ADHESIVE DECAL
- 7) WEIGHT: D3295-041/-041B = 0.87 lbs

E	ADD D3295-041B-1B. REF. PAR12-223.	MB	12.11.15
D	REVISE MATERIAL TO LEXAN 9034 FROM POLYCAST ACRYLIC SHEET. ZONE A3 SH 2 ADD MISSING DIMENSION PER NCR 247. ZONE C3 SH 2 REFORMAT DRAWING	MP	07.11.07
C	CHANGE TEMPLATE # TO DT8822	SSH	07.02.21
B	UPDATE MATERIAL PER NCR 029	CJ	06.04.13
A	NEW ISSUE	CP	04.06.28
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.11.15		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3295 TITLE FLOOR WINDOW REV. E SHEET 1 OF 3 SCALE NTS COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. UNDER NO CIRCUMSTANCES SHALL IT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION FROM DART AEROSPACE LTD.			





D3295-1B WINDOW

RELEASED
2012-11-21
JNP

NOTES:

- 1) MATERIAL: LEXAN 9034, 0.125 THICK
REF DART SPEC. MLEXS.125-9034-01
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE WITH DART P/N "D3295-041B" AND B/N "BXXXXX" PER DART QSI 044 6.4 (VIBRATING STYLUS)
USING LETTERS 0.125 TO MAX DEPTH OF 0.005. LOCATE APPROXIMATELY AS SHOWN
- 7) WEIGHT: 0.87 lbs

DESIGN	gp	DART AEROSPACE LTD	
DRAWN	gp	HAWKESBURY, ONTARIO, CANADA	
CHECKED	gp	DRAWING NO.	REV. E
MFG. APPR.	gp	D3295	SHEET 3 OF 3
APPROVED	gp	TITLE	SCALE
DE APPR.	gp	FLOOR WINDOW	NTS
DATE	12.11.15	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			